



超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

檢驗報告

報告編號： UB/2012/10749

日期： 2012年02月10日 頁數： 1 of 2



社團法人中華民國牙醫師公會全國聯合會

臺北市中山區復興北路420號10樓

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 漱口水
申請廠商： 社團法人中華民國牙醫師公會全國聯合會
產品批號： P48052-2
送樣日期： 2012年01月30日
測試日期： 2012年01月31日

測試結果：

| 測試項目 | CAS NO. | 測試方法 | 測試結果 | 檢測極限 | 單位 |
|--------|---------|--------------|------|------|--------|
| 總生菌數 | --- | 本測試參考客戶提供方法。 | <1 | 1 | CFU/dL |
| 黴菌&酵母菌 | --- | 本測試參考客戶提供方法。 | <1 | 1 | CFU/dL |

備註：1. 本報告不得分離，分離使用無效。
2. 低於方法偵測極限之測定值以 "N.D." 表示。

- END -

Signed for and on behalf of
SGS Taiwan Ltd.

Yuan-Min Wen
Manager



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試的樣品負責。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 136-1 Wu Kung Road, Wuku Industrial Zone, New Taipei City, Taiwan. / 新北市五股工業區五工路 136-1 號
t (886-2) 2299-3939 f (886-2) 2298-1338 www.tw.sgs.com

Member of SGS Group

檢驗報告

報告編號： UB/2012/10749

日期： 2012年02月10日 頁數： 2 of 2



社團法人中華民國牙醫師公會全國聯合會

臺北市中山區復興北路420號10樓

樣品照片



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試的樣品負責。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.